Maine Dept. of Health & Human Services Div. Environmental Health, 11 SHS SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION (207) 287-2070 FAX (207) 287-4172 PROPERTY LOCATION >> CAUTION: LPI APPROVAL REQUIRED << City, Town, or Plantation Town/City AMOINE Permit # Street or Road AMOINE BEACH Date Permit Issued ROAD Double Fee Charged () Subdivision, Lot# Local Plumbing Inspector Signature OWNER/APPLICANT INFORMATION Name (last, first, MI) state min. fee Owner Locally adopted fee DAVE NEWTON **Applicant** Copy: Owner Town State Mailing Address The Subsurface Wastewater Disposal System shall not be installed until a of 4904 BERTIZAN DRIVE Permit is issued by the Local Plumbing Inspector. The Permit shall Owner authorize the owner or installer to install the disposal system in accordance □ Applicant 27540 HOLLY SPRINGS , NC with the application and the Maine Subsurface Wastewater Disposal Rules. Daytime Tel. # (540) 809 - 7805 email address: Municipal Tax Map # _ 12 __ Lot# _20 OWNER OR APPLICANT STATEMENT CAUTION: INSPECTION REQUIRED I state and acknowledge that the information submitted is correct to the best of I have inspected the installation authorized above and found it to be in compliance my knowledge and understand that any falsification is reason for the Department and/or Local Plumbing Inspector to deny a permit with Subsurface Wastewater Disposal Rules Application. (1st Date Approved) Signature of Owner o(Applicant) Date Local Plumbing Inspector Signature (2nd Date Approved) PERMIT INFORMATION TYPE OF APPLICATION THIS APPLICATION REQUIRES DISPOSAL SYSTEM COMPONENT(S) 1. First Time System 1. No Rule Variance 1. Complete Non-engineered System 2. Replacement System 2. First Time System Variance 2. Primitive System (graywater & alt. toilet) a. Local Plumbing Inspector Approval Type Replaced: 3. Alternative Toilet, specify: b. State & Local Plumbing Inspector Approval 4. Non-engineered Treatment Tank (only) Year Installed: 3. Replacement System Variance Holding Tank, _____gallons Non-engineered Disposal Field (only) a. Local Plumbing Inspector Approval 3. Expanded System b. State & Local Plumbing Inspector Approval a. Minor Expansion <25% 7. Separated Laundry System 4. Minimum Lot Size Variance B b. Major Expansion ≥ 25% 8. Complete Engineered System(2000 gpd or more) 4. Experimental System 5. Seasonal Conversion Permit 9. Engineered Treatment Tank (only) 5. Seasonal Conversion DISPOSAL SYSTEM TO SERVE ☐ 10. Engineered Disposal Field (only) SIZE OF PROPERTY ☐ 11. Pre-treatment, specify: 1. Single Family Dwelling Unit, No. of Bedrooms: 3 2. Multiple Family Dwelling , No. of Units: sq. fL ■ 12. Miscellaneous components 9± 2 acres TYPE OF WATER SUPPLY SHORELAND ZONING Proposed Existing 1. Drilled Well 2. Dug Well 3. Private GARAGE APARTMENT Yes Current Use: Seasonal May Year Round Undeveloped M No 4. Public 5. Other: DESIGN DETAILS (SYSTEM LAYOUT SHOWN ON PAGE 3) TREATMENT TANK Concrete I-1000 GAL, a. Regular EXISTING b. Low Profile I-1000 GAL, c. with lift station PROPOSED DESIGN FLOW gallons per day BASED ON 1. Table 4A (dwelling unit(s) 2. Table 4C (other facilities) SHOW CALCULATIONS for other facilities DISPOSAL FIELD TYPE & SIZE GARBAGE DISPOSAL UNIT 1. Stone Bed 2. Stone Trench 3. Proprietary Device d. water tight e. two compartment If Yes or Maybe, specify one below: a. Cluster Array C c. Linear a. Multi-compartment Tank 2. Plastic ☐ b. Regular load ☐ d. H-20 load O b. _ _ Tanks in Series 3 BEDROOM 3. Other: 4. Other: C. Increase in Tank Capacity HOUSE ; 270 GFD CAPACITY 2000 gallons SIZE 1500 sq. ft. 1 lin. ft. d. Filter on Tank Outlet 2 BEDROOM SOIL DATA & DESIGN CLASS 1806PD GARAGE APT. DISPOSAL FIELD SIZING EFFLUENT/EJECTOR PUMP PROFILE CONDITION 450 GP 12 3. Section 4G (meter readings) ATTACH WATER METER DATA LATTITUDE AND LONGITUDE at center of disposal area Lat 44° d 27′ m 41′.88′ s N Lon. 66° d 10′ m 47′.02 s W 3 1C 1. Not Required ☐ 1. Medium -- 2.6 sq. ft./gpd 2. May be Required 2. Medium-Large - 3.3 sq. ft./gpd at Observation Hole # 3. Required 3. Large - 4.1 sq. ft/gpd Depth Specify only for engineered systems ■ 4. Extra Large - 5.0 sq. ft/gpd OF MOST LIMITING SOIL FACTOR DOSE: gallons if g.p.s., state margin of error_ SITE EVALUATOR STATEMENT 9-19-19 I certify that on (date) I completed a site evaluation on this property and state that the data reported are accurate and that the proposed system is in compliance with the State of Maine Subsurface Wastewater Disposal Rules (10-144A CMR 241). 9-28-19 319 Site Evaluator Signature SE# Date WILLIAM A. LaBELLE, JR. (207) 537 - 5900 labelleseptic@rivah.net Site Evaluator Name Printed


Telephone Number

Note: Changes to or deviations from the design should be confirmed with the Site Evaluator.

E-mail Address

Page 1 of 3 HHE-200 Rev. 12/2018

| SOIL PROFILE DESCRIPTION AND CLASSIFICATION (Location of Observation Holes Shown Above or on p.g. Site plan Si | I Own, City, Plantation | | SYSTEM APPLICATIO | Maine Dept. of Health & H Division of Environmental I (201) 287-2070 PAX (20 | Health, 11 07) 287-4 |
|--|---|---|---|---|-------------------------|
| SITE PLAN Scale 1' = 30 P. SITE CARIND SITE PLAN (SEE ATTACHED SITE PLAN) SOIL PROFILE DESCRIPTION AND CLASSIFICATION (Location of Observation Holes Shown Above or on p.g. Lamoine Beach R Lamoine Lamoin | LAMOINE | | | | |
| SOIL PROFILE DESCRIPTION AND CLASSIFICATION (Location of Observation Holes Shown Above or on pg. SITE Soll Profile Description And Classification (Location of Observation Holes Shown Above or on pg. SITE Observation Hole Profile Description And Classification (Location of Observation Holes Shown Above or on pg. Observation Holes Shown Above or on pg. Observation Holes Profile Description And Classification Holes Shown Above or on pg. Observation Holes Observation Hole Profile Description And Classification Holes Shown Above or on pg. Observation Holes Profile Profile Description And Classification Holes Shown Above or on pg. Observation Holes Profile Profile Description And Classification Holes Shown Above or on pg. Observation Holes Profile Profile Description And Classification Holes Shown Above or on pg. Observation Holes Profile | | SITE PLAN | | O Ft SITE LOCATION (Attach map from M | PLAN laine At |
| SOIL PROFILE DESCRIPTION AND CLASSIFICATION (Location of Observation Holes Shown Above or on p.g. Consistency Color Mottling Test Pt Boring 1/2 "Depth of organic horizon above mineral soil 1/2 "Depth of organic horizon bove mineral | | SEE ATTACHED SITE F | PLAN) | d S Lamoi | ine |
| Cbservation Hole # Test Pit Boring Complete the consistency Color Mottling | | | | Lane * SIL | |
| Cbservation Hole # Test Pit Boring Complete the consistency Color Mottling | | | · | | |
| Cbservation Hole # Test Pit Boring Complete the consistency Color Mottling | | | | | |
| Cbservation Hole # Test Pit Boring Complete the consistency Color Mottling | | | | | |
| Cbservation Hole # Test Pit Boring Complete the consistency Color Mottling | | | | | |
| Cbservation Hole # Test Pit Boring Complete the consistency Color Mottling | | | | | |
| Texture Consistency Color Mottling | 0011 000511 5 050001 | . , | | · . | |
| FINE SANDY FRIABLE SPOWN SANDY FRIABLE SANDY FRIABLE SANDY FRIABLE SANDY FRIABLE SANDY SAN | Observation Hole | ■ Test Pit 🔲 Boring | | | |
| TO BROWN N.E. TO BROWN N.E. TO BROWN POSSIBLE VELLOWISH N.E. TO BROWN POSSIBLE VELLOWISH SAND TO BROWN TO BROWN TO BROWN POSSIBLE VELLOWISH SAND SAND SAND SAND SAND SAND SAND SAND | Observation Hole # [| Test Pit Deoring on above mineral soil | Observation Hole | #2 ■ Test Pit 🛭 Bori anic horizon above mineral soil | |
| Soil Classification Slope Limiting Factor Bestrictive Laws | Observation Hole # { 1/2 " Depth of organic horize Texture Consisten FINE | Test Pit Boring on above mineral soil loy Color Mottling DARIA VELLOWISH SLE BROWN | Observation Hole | # 2 Prest Pit Bori anic horizon above mineral soil Consistency Color Mc | ning |
| Soil Classification Slope Limiting Factor Bestrictive Laws | Observation Hole # [1/2 "Depth of organic horiz Texture Consisten FINE SANDY TRIAL | Test Pit Boring on above mineral soil icy Color Mottling DARIA VELLOWISH BROWN 10 PR.3/4 | Observation Hole //L "Depth of org Texture FINE SANDY 10 LOAM | # 2 B Test Pit D Bon anic horizon above mineral soil Consistency Color Mc DARK VELLOWISH BROWN (10 YR 3/4) | ring ottling |
| Soil Classification Slope Limiting Factor Bestrictive Laws | Observation Hole # [1/2 "Depth of organic horiz Texture Consisten FINE SANDY TRIAL | Test Pit Deoring on above mineral soil icy Color Mottling DARIA VELLOWISH BROWN DARIA DARIA DARIA DARIA DARIA DARIA | Observation Hole 112 "Depth of org Texture FINE SANDY LOAMY FINE SAND TO TO TO TO TO TO TO TO TO T | # 2 Test Pit Bon anic horizon above mineral soil Consistency Color Mc DARK BROWN (10 YR 3/4) PLLOWISH VELLOWISH VELLOWISH PRIABLE DARK | ing ottling |
| Soil Classification Slope Limiting Factor Bestrictive Laws | Observation Hole # [1/2 "Depth of organic horiz Texture Consisten FINE SANDY TRIAL | Test Pit Boring on above mineral soil oy | Observation Hole 1/12 "Depth of org Texture FINE SANDY LOAMY FINE SAND COARSE COARSE | # 2 Test Pit Bori anic horizon above mineral soil Consistency Color Mc DARK FRIABLE DARK YELLOWISH POSI | ing ottling |
| Soil Classification Slope Limiting Factor Ground Water Soil Classification Slope Limiting Factor Bestrictive laws | Observation Hole # [1/2 "Depth of organic horiz Texture Consisten FINE SANDY TRIAL | Test Pit Boring on above mineral soil oy | Observation Hole 112 "Depth of org Texture FINE SANDY 10 LOAM FINE FINE COAMS COARSE SAND 30 | # 2 Test Pit Bori anic horizon above mineral soil Consistency Color Mc DARK FRIABLE DARK YELLOWISH POSI | ing ottling |
| | Observation Hole # | Test Pit Boring on above mineral soil oy | Observation Hole 112 "Depth of org Texture FINE SANDY LOAM LOAM FINE SAND COARSE SAND 30 COARSE SAND | # 2 Test Pit Bori anic horizon above mineral soil Consistency Color Mc DARK FRIABLE DARK YELLOWISH POSI | ing ottling |



SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION Maine Dept. of Health & Human Service Division of Environmental Health, 11 SH (207) 287-2070 FAX (207) 287-4172 Town, City, Plantation Street, Road, Subdivision Owner or Applicant Name LAMOINE LAMOINE BEACH ROAD DAVE NEWTON SUBSURFACE WASTEWATER DISPOSAL PLAN SCALE: 1" = 20 FT. (SEE ATTACHED SUBSURFACE WASTEWATER DISPOSAL PLAN) 16'-18 "CONSTRUCTION CONSTRUCTION FILL REQUIREMENTS CONSTRUCTION ELEVATIONS SYSTEM: PRIVY: ELEVATION REFERENCE POINT Depth of Backfill (Upslope) CROUN. <u>- 63</u> Location & Description BOTTOM OF CORNER BOARD, Depth of Backfill (Downslope) 18"34" Top of Distribution Pipe or Proprietary Device -79" NA 19" ABOVE GROUND Depths @ cross-section shown below or on X-sec. detail. Bottom of Disposal Field Reference Elevation is: DISPOSAL AREA CROSS SECTION (SEE ATTACHED CROSS SECTION) NOTES: 1. Tank(s) must be 8' minimum from building. 2. Grade surrounding area to divert surface water away from system. 3. All work done adjacent to wetlands and water bodies must be done in compliance with Section 12 of the Subsurface Wastewater Disposal Rules. Erosion and sediment control measures must be in accordance with the March 2003 edition of the Maine DEP Handbook "Maine Erosion and Sediment Control BMPS" (DEPW0588). 4. Install septic tank(s) risers 18" in diameter "minimum" to within 6" of finished grade on inlet,

cleanout and outlet covers (recommend extending risers to finish grade).

S.E. #

Site Evaluator's Signature


9-28-19

Date

Page 3 of 3

HHE-200 Rev. 01/2019

SUBSURFACE WASTEWATER DISPOSAL PLAN:



EDGE OF FILL

SCALE: 1" = 20' 0' 5' 10' 20' 30' 40' NOTE: SEE ALL NOTES PAGE 2A.

Site Evaluator's Signature

319

9-28-19

REMOVE VEGETATION AND SCARIFY ORIGINAL SOIL UNDER ENTIRE FILL AREA, SEC. 11-B. FILL EXTENSIONS PLACED OVER STONE 2 '' COMPRESSED HAY (OR FILTER FABRIC) SEC. 11-F NO GREATER THAN 4: BOTTOM OF STONE: DOC17 TOP OF DISTRIBUTION PIPE FINISHED GRADE: ELEV. REF. PT. (ERP): **ELEVATIONS** EXISTING GRADE NOTE GRADE UPSLOPE TO DIVERT SURFACE WATER AWAY FROM SYSTEM. OWNER: LOCATION: LIMITING FACTOR -CROWN FINISH GRADE FROM CENTER AT 3 % SLOPE 34"FILL DAVE WILLIAM A. LaBELLE, JR ALCINE BERM WIDE 3 FT ときとてつと -90" - 79" -63 12"FILL "CROWN DISPOSAL BED CROSS SECTION COARSE SAND TO THE STANDARDS IN SEC. 11-E IN THE SUBSURFACE RULES FILL MATERIAL SHALL BE 8"-12" MIN. THICK OVER STONE AND SHALL BE GRAVELLY 3% BOTTOM OF STONE MUST BE LEVEL WITH MAXIMUM GRADE TOLERANCE OF 2" PER 100'. SCALE : 1" = 5" 25 FT. \sum ដ្ឋ SE# SYSTEM MUST BE INSTALLED ACCORDING WITH SECTION 11 OF SAID RULES CONSTRUCT SYSTEM IN FULL COMPLIANCE MUST BE FAMILIAR WITH SAID RULES AND STATE OF MAINE SUBSURFACE WASTEWATER DISPOSAL RULES. INSTALLATION CONTRATOR IN THE MOST CURRENT VERSION OF THE TO THE RULES AND PRACTICES SET FORTH 3% 4" PERF. PIPE, TYPICAL CLEAN, COARSE, SHARP SAND INTO 4"CUT_ CREATE A TRANSITION ZONE, SEC. 11-B TOP 6 INCHES OF ORIGINAL SOIL TO THOROUGHLY MIX, DISK OR ROTO-TILL 12" CLEAN STONE, 9-28-19 (11/2" DIA.), UNIFORM SIZE VEGETATIVE COVER; SEED SOIL MIX TO ESTABLISH A GOOD SEC. 11-G. AND MULCH TO PREVENT EROSION, TOP 4" OF FILL TO BE A GOOD LOAM DATE BERM WIDE 3 F T 18"F1 LL